Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XI*

New names, and the final members of new combinations, are in **bold face type.**

Abies, 61, 267; grandis, 61; lasiocarpa, 204
Acanthostigma, 7
Acrothecium, 326
Actinella scaposa, 209
Actinidia, 82; Kolomikta, 81; polygama, 81
Actinomyces 48, 227
Additions to lichen distribution in North America, 296
Aecidium, 158, 173, 175, 178, 203, 204, 210, 284; Allenii, 210; biforme, 210; Cerastii, 171, 176; compositarum Ambrosiae, 136; compositarum Eupatorii, 144; compositarum Xanthii, 136; Euphorbia, 203; Giliae, 169, 171, 175, 176; lepidii, 210; monoicum, 203; patagonicum, 175, 176; Phlogis, 172, 173, 176; Polemonii, 178; Sarcobati, 207; Sisyrinchi, 215; sublineatum, 205; Tithymali, 203; Wilcoxianum, 171, 176
Agarics, Cuban polypores and, 22
Agaricus, 267; campestris, 51, 52, 228, 246
Agropyron, 131, 132, 202, 206, 210; repens, 125, 132, 133; Richardsonii, 131; Smithii, 132, 133; tenerum, 129, 131, 132, 133
Ailanthus, 124
Aleuria aurantia, 316; vesiculosa, 53, 54; vesiculosa saccata, 3, 53, 54
Aleurodiscus, 97; Oakesii, 243
Algae, 185
Allodus, 168, 180; Douglasii, 169, 177, 178; Giliae, 169, 171, 172, 173, 174, 175, 176, 178; plumbaria, 176
Alopecurus, 129, 130; aristulatus, 129, 133; pratensis, 130
Alternaria, 157, 325
Amanita, 13, 47, 219, 220, 284; Caesarea, 321; cothurnata, 219; mutabilis, 219, 284; pantherina, 219; rubescens, 13
Ambrosia trifida, 136, 230
Amelanchier, 211
American rusts on Cyperus and Eleocharis, North, 134
American species of Phyllosticta, Index to, 66
Anderson, P. J., Index to American species of Phyllosticta, 66
Aneimia adiantifolia, 8
An undescribed species of Ophiodothella on Ficus, 55
Apiosporella, 97
Appearance of non-edible mushrooms in cultivated mushroom beds, Further notes on the sporadic, 51
Arabia, 174, 179
Arcangiella, 218, 287; caudata, 218, 287
Arctium Lappa, 84, 85
Arctostaphylos Uva-Ursae, 212
Arenaria pungens, 173
Armillaria mellea, 59, 121; mucida, 280; nobilis, 41
Arthrobotryum, 97
Arthrospira, 159
Ascochyta, 97
Ascospore discharge, A novel method of, 125
Ascothytula, 97
Asimina, 319; angustifolia, 319; parviflora, 319; pygmaea, 319
Aspergillus niger, 156, 159, 160
Asterothecia, 80
Astragalus **argophyllus**, 207; missouriensis, 202; multiflorus, 202; Thompsonae, 202
Atanasoff, D., A novel method of ascospore discharge, 125

* It has been considered unnecessary to include here the species listed in the four following articles, since they are already indexed or specially listed.
Anderson: Index to American species of Phyllosticta. See p. 66.
Fink: Additions to lichen distribution in North America. See p. 296.
Murrill: Cuban polypores and agarics. See p. 22.
Overholts: Some Colorado fungi. See p. 245.

Atriplex rosea, 206; spatiosa, 206
Auricularia Auricula, 94, 224; nigrescens, 224
Azotobacter chroococcum, 284

Bacillus carotovorus, 323; subtilis, 285
Bacterium angulatum, 285; juglandis, 316
Balansia **cyperi,** 260, 261
Balansia on Cyperus, A new, 259
Balsamorrhiza hirsuta, 204
Beauveria, 277; Bassiana, 277; globulifera, 276
Bessey, Ernst A., An undescribed species of Ophiodothella on Ficus, 55
Betula lenta, 113, 114, 124; lutea, 116; papyrifera, 120
Bjerkandera adusta, 94, 278
Blastenia nigrocincta, 100
Boletinus, 11, 12; castanellus, 321; porosus, 43
Boletopsis corrugatus, 92; icterinus, 92; singaporensis, 92
Boletus, 12; alveolatus, 321; aureomycetinus, 92; bicolor, 278, 279, 321; chromapes, 321; communis, 278; cyanescens, 321; cyanopus, 92; edulis, 322; felleus, 278, 321; Gertrudiae, 321, 322; gracilis, 321; griseus, 278, 321; illudens, 321; indecisus, 321; luridus, 278, 321; nigricans, 92; ornatipes, 321; pallidus, 321; pernanus, 92; phaeocephalus, 92; punctipes, 321; retisporus, 92; scaber, 321; speciosus, 321; spinifer, 92; subglabripes, 321; tristis, 92; umbrinellus, 92; veluticeps, 92; viscidulus, 92
Borinquenia, 326
Botryorhiza Hippocrateae, 99
Botrytis cinerea 157; seriata, 164
Brachytrichia, 159
Bremia Lactucae, 84, 85; ovata, 85; saussureae, 85; sonchi, 84
Bromus, 125, 132, 133, 203; ciliatus, 131, 132, 133; latiglumis, 131, 133
Broussonetia papyrifera, 121
Bulgaria, 295; platydiscus, 294, 295; polymorpha, 90
Bulgaria platydiscus in Canada, The occurrence of, 293
Burnham, S. H., Charles Horton Peck, 33

California fungi, Notes on, 10
Calvatia rubroflava, 319
Camarosporium, 97
Canadian Tuckahoe, The, 104
Canada, The occurrence of Bulgaria platydiscus in, 293
Canna, 6; coccinea, 6
Cardamine Douglasii, 180
Carex, 134, 214
Carpinus, 81
Cedrus Libani, 267
Cephaleuros virescens, 324
Cerastium nutans, 172
Cercospora, 325; gossypina, 154; longipes, 44; vaginae, 44
Cercosporella Mimosae, 6
Ceriomyces flaviporus, 157
Cerrena unicolor, 41
Chalepis dorsalis, 122
Chamaecyparis thyoides, 47
Chamaesyce hypericifolia, 4
Chanterel Chantarellus, 279, 316; cinnabarina, 315; infundibuliformis, 316; minor, 315
Chanterelle, 13
Charles Horton Peck, 33
Chenopodium album, 83; ficifolium, 83; murale, 206
Chlorophyllum molybdites, 222
Chrysanthemum, 212
Chrysomyxa Arctostaphyli, 212
Chytridium codicola, 230
Citrus, 49
Cladosporium fulvum, 325
Claudopus nidulans, 43, 94
Clavaria, 13, 313
Claviceps, 125
Cleistothecopsis, 326
Clitocybe, 220; clavipes, 316; dealbata, 52, 156; farinacea, 49; illudens, 279; multiceps, 42; odora, 43; subconnexa, 41
Clonostachys rosea, 156
Cnethocampa pityocampa, 276, 277
Coccoloba diversifolia, 7
Codium mucronatum, 230
Coelosphaeria, 164
Cogswellia lapidosa, 205; platycarpa, 205; simplex, 205
Coleosporium, 48; Ribicola, 208
Collemodes Bachmanianum, 98
Colletotrichum falcatum, 44; lindemuthianum, 158
Collinsia parviflora, 212
Collomia, 170, 172, 178; gracilis, 169, 175, 176; micrantha, 177
Collomiae, 172
Collybia, 220; campanulata, 275; velutipes, 91
Colocasia antiquorum, 149
Colorado fungi, Some, 245
Colothrix, 159

Coltriciella dependens, 221
Comandra pallida, 205, 208
Concerning the introduction into the United States of extralimital wood-destroying fungi, 58
Coniophora, 42; avellanea, 43; capnoides, 43; flava, 43; Harperi, 43; inflata, 43; Kalmiae, 43; polyporoidea, 43; sordulenta, 43; vaga, 43
Coniothyrium, 97, 326
Cookeina sulcipes, 224
Coprinus, 220; fimetarius, 280, 281; lagopus, 281; micaceus, 13; stercorarius, 281
Corchorus capsularis, 82
Coriolellus sepium, 94, 233, 242, 243
Coriolopsis occidentalis, 224; rigida, 224, 236
Coriolus, 243; abietinus, 222, 243; maximus, 224; nigromarginatus, 94; pavonius, 224; prolificans, 92, 94, 159; sector, 244; sericeohirsutus, 222; versicolor, 92, 94, 159, 224, 278
Corticium effuscatum, 94
Cortinarius, 41, 220, 289; alboviolaceus, 289, 316; semisanguineus, 279
Corynites brevis, 199
Crataegus rivularis, 211
Craterellus cornucopioides, 279
Creonectria coccinea, 114, 115, 116, 117, 124; purpurea, 121
Crepidotus calolepidoides, 224
Crepis japonica, 84, 85
Cronartium, 210; Comandrae, 208; occidentale, 156, 210; pyriforme, 208; ribicola, 50, 158, 161, 218, 227
Cryptogamia, 185
Cryptostictis, 97
Cuban polypores and agarics, 22
Cucurbitariaceae, 165
Cultivated mushroom beds, Further notes on the sporadic appearance of non-edible mushrooms in, 51
Cultures of heteroecious rusts in 1918, 129
Curtis, The mycological work of Moses Ashley, 181
Cyathus pallidus, 222
Cylindrocladium scoparium, 92
Cymopterus lapidosus, 205
Cyperus, 134, 135, 137, 138, 142, 147, 324; atropurpureus, 141; Buchii, 141; Buckleyi, 141; cayennensis, 141; cylindricus, 137, 141; diffusus, 140; distans, 139; esculentus, 137; fendlerianus, 137; ferax, 137, 140; filiculmis, 141; flavicomus, 139, 141; giganteum, 137; globosus, 141; Grayi, 141; Hallii, 137; hermaphroditus, 141; Houghtonii, 137, 141; laevigatus, 139; lancastriensis, 141; Mutisii, 137, 142; odoratus, 139; ovularis, 142; polystachys, 139; radiatus, 139; refractus, 142; reticulatus, 137; retrofractus, 142; rotundus, 137; Schweinitzii, 142; seslerioides, 137; speciosus, 137; spectabilis, 142; sphacelatus, 139; strigosus, 137, 142; surinamensis, 137, 139; tagetiformis, 139; thyrsiflorus, 137; virens, 259, 261
Cyperus and Eleocharis, North American rusts on, 134
Cyperus, A new Balansia on, 259
Cytospora, 325; Sacchari, 44

Daedalea, 221; amanitoides, 224; confragosa, 94; juniperina, 221; quercina, 94, 278, 317
Dalbey, Nora E., and Stevens, F. L., New or noteworthy Porto Rican fungi, 4
Daldinia vernicosa, 160
Decay of hemlock, An undescribed timber, 262
Dermocarpa, 159
Described species of Poria, Some, 231
Dexteria, 326
Diaporthe, 152; batatis, 157; cubensis, 90; juglandis, 113; Mali, 150; umbrina, 156, 228
Diatrype, 97
Dicaeoma, 134; canaliculatum, 136; Cyperi, 141; Douglasii, 178; Eleocharidis, 144; fragile, 176; nigrovelata, 136; plumbarium, 176
Dictyophora duplicata, 278
Didymella, 97; Mori, 148
Dimeriopsis, 326
Dimerium, 7
Diplocystis Wrightii, 222
Diplodia tubericola, 156
Disciotis reticulata, 3; venosa, 3
Discharge, A novel method of ascospore, 125
Diseases of trees in greater New York, Some, 111
Distichlis spicata stricta, 202
Distribution in North America, Additions to lichen, 296
Dochothrix, 159
Dothiorella, 97
Durand, Elias J., Peziza proteana var. sparassoides in America, 1

Earliella corrugata, 224

Echinodontium, 61; tinctorium, 61, 219, 230
Elgerton, C. W., A new Balansia on Cyperus, 257
Elasmomyces, 14; russuloides, 14
Eleocharis, 134, 135, 136, 143, 145, 146, 324; capitata, 145; cellulosa, 143; flaccida, 143; geniculatus, 143; glaucescens, 145; intermedia, 145; interstincta, 143, 144; montana, 143; mutata, 143; ovata, 145; palustris, 145, 146; palustris glaucescens, 145; tenuis, 145
Eleocharis, North American rusts on Cyperus and, 134
Elfvingia fomentaria, 91; lobata, 278; megaloma, 41, 91, 94, 278; tornata, 224
Elliott, J. A., A smut on Iresine, 87
Elymus, 131, 132, 206, 210; canadensis, 131, 133, 202; condensatus, 202; glaucus, 206, 213; virginicus, 131, 132, 133
Eocronartium muscicola, 98
Endogone, 97
Endothia parasitica, 100
Enfant de pin or wabadou, Pineapple fungus or, 267
Epicoccum, 157
Epilobium stramineum, 208
Ericoma cuspidata, 207
Eriogonum ramossissimum, 207
Eucalyptus, 90
Eupatorium, 146; maculatum, 144; perfoliatum, 144; purpureum, 144; rotundifolium, 145; serotinum, 145; verbenaefolium, 145
Euphorbia Greenei, 207
Eutypa, 165, 166
Exidia arborea, 94
Exosporium, 5, 160; **Leucaenae,** 5, 9
Extralimital wood-destroying fungi, Concerning the introduction into the United States of, 58

Fagus atropunicea, 117, 120; sylvatica Sieboldi, 80
Faull, J. H., Pineapple fungus or enfant de pin or wabadou, 267
Favolus, 240; tenuis, 224
Ficus aurea, 57
Ficus, An undescribed species of Ophiodothella on, 55
Field meeting of pathologists, A, 308
Fink, Bruce, Additions to lichen distribution in North America, 296
Fistulina hepatica, 318
Fitzpatrick, H. M., Rostronitschkia, a new genus of Pyrenomycetes, 163
Fomes, 264; annosus, 59; applanatus, 64; Arctostaphyli, 157; Everhartii, 120; fomentarius, 269; igniarius, 61, 121; Pini, 59; pinicola, 62; populinus, 94, 310; pseudo-ferreus, 219; officinalis, 267, 268, 269, 270; subferreus, 224
Fomitella supina, 224
Fomitiporella betulina, 91
Fraser, W. P., Cultures of heteroecious rusts in 1918, 129
Fraxinus excelsior, 119
Fulvifomes dependens, 222; Robiniae, 278; Swietiniae, 222
Funalia stuppea, 91, 157
Fungi, Concerning the introduction into the United States of extralimital wood-destroying, 58
Fungi, Illustrations of, —XXX, 101; —XXXI, 289
Fungi, New or noteworthy Porto Rican, 4
Fungi, Notes and translations —, New Japanese, VI, 80; VII, 148
Fungi, Notes on California, 10
Fungi, Some Colorado, 245
Fungus or enfant de pin or wabadou, Pineapple, 267
Further notes on the sporadic appearance of non-edible mushrooms in cultivated mushroom beds, 51
Fusarium, 311, 323, 324; acuminatum, 157; cubense, 323; culmorum, 157

Galactinia proteana, 3; proteana sparassoides, 2, 3
Galera tenera, 43
Galerula, 97, 216
Ganoderma, 262; lucidum, 103; polychromum, 157; pulverulentum, 222; sessile, 91, 102, 325; Tsugae, 101, 262, 325
Garrett, A. O., Smuts and rusts of Utah. III, 202
Gautieria, 16, 17, 19; morchellaeformis, 17; Trabuti, 17
Geaster hygrometricus, 94
Genea, 19; arenaria, 18
Gentiana affinis, 213; Amarella, 213
Geopora, 18
Gesneria, 165; albiflora, 163, 164, 166, 167
Gibberella sambinetii, 157
Gibberidia, 97
Gilia, 170, 174, 175, 178, 179; californica, 174, 176; ciliata, 176, 179; gracilis, 176; Nuttallii, 169, 170, 176

Gliocladium viride, 325
Globifomes graveolens, 118, 124
Gloeoporus candidus, 224
Gnomonia, 160; veneta, 122
Gonzalagunia, 8
Gossypium herbaceum, 154
Graves, A. H., Some diseases of trees in greater New York, 111
Grifola, 109; Berkeleyi, 42, 278, 315; frondosa, 42; Sumstinei, 41, 42; **Tuckahoe,** 109, 110, 324
Grossularia, 156; inermis, 208, 211
Guepinia spathularia, 94
Güssow, H. T., The Canadian Tuckahoe, 104
Gymnogramme calomelanos, 8
Gymnomyces, 218, 287; Gardneri, 218, 287
Gymnopilus tenuis, 222
Gymnopus carnosus, 316; tenuipes, 224
Gymnosporangium, 48; Betheli, 211; gracilens, 209; juvenescens, 211; Kernianum, 211; Nelsoni, 204; speciosum, 209
Gyromitra, 1, 12; esculenta, 12; gigas, 3; Phillipsii, 3

Hapalopilus gilvus, 224; licnoides, 224
Haplographium, 6, 160; **portoricense,** 6, 9
Helicobasidium, 86; mompa macrosporum, 86
Helminthosporium, 5, 125, 325; Sacchari, 44
Helvella crispa, 316
Hemistepta carthamoides, 84, 85
Hemlock, An undescribed timber decay of, 262
Hendersonia, 97; Crataegi, 47
Hepaticae, 185, 196
Heteroecious rusts in 1918, Cultures of, 129
Hexagona alveolaris, 94
Hicoria, 112
Himantia stellifera, 44
Homalobus tenellus, 202
Hordeum, 132; jubatum, 129, 131, 132, 133, 213; pusillum, 213
Humaria Peckii, 275
Hyalosphaera, 326
Hydnangium, 19; careum, 13
Hydnellum carolinianum, 220, 284; ferrugipes, 220, 284
Hydnocystis, 19; Californica, 19
Hydnoporia fuscescens, 94
Hydnotrya, 18, 19; ellipsospora, 18
Hydnotryopsis, 18; Setchelli, 18
Hydnum adustum, 278; repandum, 278, 279; velutinum, 316
Hydrocybe conica, 316
Hydrophyllum, 206; capitatum, 206
Hygrophorus, 220
Hymenochaete, 158, 227; Sallei, 224
Hymenula nigra, 83
Hypholoma, 47; aggregatum, 98; delineatum, 98; lachrymabundum, 43; perplexum, 91
Hypochnus centrifugus, 83; pallescens, 43; spongiosus, 222
Hypocrea, 100
Hypomyces Lactifluorum, 279
Hypoxylon, 313
Hysterangium, 16, 19
Hysterium, 97

Illustrations of fungi —XXX, 101; —XXXI, 289
Impatiens, 131; biflora, 131, 133
Index to American mycological literature, 47, 97, 158, 227, 284, 323
Index to American species of Phyllosticta, 66
Inonotus amplectens, 319; dryophilus, 102, 119, 157, 325; fruticum, 222; hirsutus, 119; porrectus, 222
Introduction into the United States of extralimital wood-destroying fungi, Concerning the, 58
Iresine, 88, 227; paniculata, 86, 88
Iresine, A smut on, 87
Irpiciporus lacteus, 94

Japanese fungi, Notes and translations—, New, VI, 80; VII, 148
Juglans californica, 120; cinerea, 111, 113, 120; nigra, 113, 120; regia, 113, 119; rupestris, 120
Juniperus scopulorum, 211; utahensis, 209, 211

Keithia, 47; Chamaecyparissi, 47
Kern, F. D., North American rusts on Cyperus and Eleocharis, 134
Kyllinga, 135, 142; brevifolia, 142; odorata, 142; pumila, 142

Laccaria amethystea, 49; striatula, 49
Lactaria, 47; Allardii, 47; atroviridis, 317; coleopteris, 47; corrugis, 278, 279; Curtisii, 47; furcata, 47; lenta, 47; piperata, 278; subplinthogala, 47; subtorminosa, 47; torminosa, 316; volema, 278, 279
Lactuca debilis, 84, 85; laciniata, 84, 85; scariola sativa, 84, 85
Laetiporus speciosus, 278

Larix, 267; europaea, 267; laricina, 268; sibirica, 267
Lecania euthallina, 100
Lentinus crinitus, 224; **Freemanii,** 223; hirtiformis, 224; tigrinus, 43
Lentodiellum concavum, 224
Lenzites betulina, 94; saepiaria, 60; vialis, 317
Lepargyraea canadensis, 210
Lepidium montanum, 210
Lepiota, 47, 92, 220
Leptodactylon, 170; californica, 176; Nuttallii, 175, 176
Leptoniella conica, 49
Leptosphaeria, 97; Sacchari, 44
Leucaena glauca, 5
Levine, Michael, Further notes on the sporadic appearance of non-edible mushrooms in cultivated mushroom beds, 51
Lichen distribution in North America, Additions to, 296
Linanthus, 170; ciliatus, 175, 176
Linodochium, 4
Liquidambar, 124
Lomatium platycarpum, 205
Lupinus Greenei, 203
Lycium Andersoni, 209; pallidum, 209; pallidum, 209; Torreyi, 209
Lycoperdon cyathiforme, 279; gemmatum, 279; rubro-flavum, 320
Lycopus, 130

Macowanites, 218, 287; echinosporus, 218, 287
Macrophoma Corchori, 82
Macropodia fusicarpa, 316
Macrosporium sarcinaeforme, 48; Solani, 99
Madronella oblongifolia, 205
Magnolia, 115
Marasmius, 92; dichrous, 49; insititious, 49; Sacchari, 44
McCallum, A. W., The occurrence of Bulgaria platydiscus in Canada, 293
Meeting of pathologists, A field, 308
Melampsora, 48
Melampsorella elatina, 204
Melampsoropsis Arctostaphyli, 212
Melanconium, 113; oblongum, 112, 113; Sacchari, 44, 113
Melanogaster, 15, 16
Melanoleuca, 291; albissima, 316; equestris, 41; melanoleuca, 156; pallida, 317, 318; Russula, 41, 291, 315
Meliola, 9, 100, 326; puiggarii, 8; tortuosa, 9
Mentha, 130; canadensis, 130, 133
Mertensia foliosa, 205
Merulius, 45, 323; americanus, 46; **atrovirens,** 46; byssoideus, 46; corium, 222; cubensis, 45; deglubens, 46; dubius, 46; Farlowii, 46; gyrosus, 45; hexagonoides, 46; hirsutus, 45, 46; hirtellus, 46; lacrymans, 317; lichenicola, 46; montanus, 46; patellaeformis, 46; pinastri, 46, 317; sororius, 45; sulphureus, 46; terrestris, 46; tomentosus, 46; tremellosus, 94
Method of ascospore discharge, A novel, 125
Microclava, 7, 160, 326; **Coccolobiae,** 7, 9
Microcoleus, 159
Microdiplodia, 97
Microsphaera alni, 82
Microsteris, 169, 170; gracilis, 174, 175, 176; humilis, 170, 176; micrantha, 177
Milesia, 48
Mimosa pudica, 6
Monilochaetes infuscans, 157
Monogrammia, 326
Morus, 86; alba, 148
Mucor racemosus, 157
Murrill, W. A., A field meeting of pathologists, 308; Cuban polypores and agarics, 22; Illustrations of fungi —XXX, 101; —XXXI, 289
Musci, 196
Mycena galericulata, 43
Mycological work of Moses Ashley Curtis, The, 181
Mycosphaerella, 160, 325; Colacasiae, 148; **subastoma,** 8, 9; tyrolensis, 8, 9
Myriadoporus subsulphureus, 242
Myrica cerifera, 235

Nectria, 116; cinnabarina, 116, 121; coccinea, 114, 115, 116; ditissima, 116, 117; galligena, 117
Neottiospora Theae, 153
New Balansia on Cyperus, A, 259
New Japanese fungi, Notes and translations —VI, 80; VII, 148
New or noteworthy Porto Rican fungi, 4
New York, Some diseases of trees in greater, 111
Nigredo, 134; Eleocharidis, 146; Polemonii, 178
Nitschkia, 164, 165; nervincola, 163, 165, 166, 167

Non-edible mushrooms in cultivated mushroom beds, Further notes on the sporadic appearance of, 51
North America, Additions to lichen distribution in, 296
North American rusts on Cyperus and Eleocharis, 134
Notes and brief articles, 40, 89, 155, 216, 273, 313
Notes and translations —, New Japanese fungi, VI, 80; VII, 148
Notes on California fungi, 10
Notes on some polemoniaceous rusts, 168
Notes on the sporadic appearance of non-edible mushrooms in cultivated mushroom beds, Further, 51
Noteworthy Porto Rican fungi, New or, 4
Novel method of ascospore discharge, A, 125

Occurrence of Bulgaria platydiscus in Canada, The, 293
Odontia saccharicola, 44
Omphalopsis fibula, 49
Opegrapha acicularis, 100
Ophiodothella, 227; **Fici**, 55, 57, 227
Ophiodothella on Ficus, An undescribed species of, 55
Orton, C. R., Notes on some polemoniaceous rusts, 168
Oryzopsis hymenoides, 207
Osmorrhiza occidentalis, 206
Otidea grandis, 316
Overholts, L. O., Some Colorado fungi, 245

Pachyma, 108; cocos, 107
Panaeolus campanulatus, 156; retirugis, 156; venenosus, 51, 156
Panellus stypticus, 94, 157
Parks, H. E., Notes on California fungi, 10
Patellea, 97
Pathologists, A field meeting of, 308
Peck, Charles Horton, 33
Penicillium, 6, 157; oxalicum, 156
Peraphyllum ramosissimum, 204
Peridermium, 210; coloradense, 212; elatinum, 204; occidentale, 210; pyriforme, 208
Peronospora Chenopodii, 83; Chenopodii-ficifolia, 83; effusa major, 83; effusa minor, 83
Pestalozzia, 326; Gossypii, 154
Peziza, 18; badia, 1; domiciliana, 156; proteana, 1; proteana sparassoides, 3, 158; vesiculosa, 1
Peziza proteana var. sparassoides in America, 1
Phaeodimeriella, 7
Phaeodothiopsis, 100
Phaeosphaerella, 326
Phellodon Cokeri, 220, 284
Phlebia radiata, 91
Phleum pratense, 203
Phlox, 169, 170, 173, 174, 177, 178, 180, 205; alyssifolia, 178; amoena, 178; depressa, 178; disapensioides, 177, 178; diffusa, 177, 178; divaricata, 172, 177, 180; divaricata Laphamii, 172; Douglasii, 171, 177; glabrata, 178; Hoodii, 178; longifolia, 169, 171, 173, 177; multiflora, 177; nana, 178; Nuttallii, 171; pilosa, 172; Richardsonii, 177; rigida, 178; scleranthifolia, 178; speciosa, 177; Stansburgii, 177; subulata, 178
Pholiota, 47, 220, 290; squarrosa, 290, 291; squarrosoides, 290, 291
Phoma, 97; lingam, 48; Pomi, 152
Phomopsis, 151, 152; Mali, 152
Phormidium, 159
Phragmidium affine, 204; ivesiae, 204; Rubi-Sieboldii, 152
Phragmites, 131; communis, 130, 133
Phyllachora, 97, 323, 326
Phyllactinia corylea, 80
Phylloporus malaccensis, 92; rhodoxanthus, 41
Phyllosticta, 100, 227; Corchori, 83; cyclaminicola, 90
Phyllosticta, Index to American species of, 66
Physoderma, 287
Picea, 267; Engelmanni, 212, 246; lasiocarpa, 212
Piersonia, 18
Pilosace, 220; algeriensis, 220
Pineapple fungus or enfant le pin or wabadou, 267
Pinus, 267; edulis, 210; Strobus, 268
Piper medium, 5; umbellatum, 9
Placoma, 159
Placosphaeria, 97
Plasmodiophora brassicae, 99
Platanus occidentalis, 122
Plenodomus destruens, 157
Pleospora, 128; herbarum, 125
Pleurocapsa, 159
Pleurotus ostreatus, 91, 155; sapidus, 317; serotinus, 91
Pluteus admirabilis, 326; cervinus, 279
Pogonomyces hydnoides, 224

Polemoniaceous rusts, Notes on some, 168
Polemonium reptans, 178
Polygonum alpinum, 214
Polypores and agarics, Cuban, 22
Polyporus, 106, 109, 262, 264; abietinus, 262; Alabamae, 235; anaectopora, 240; anax, 315; barbaeformis, 241; Berkeleyi, 315; borealis, 266; **Braci**, 222; calceus, 233; candidissimus, 233; Caryae, 236; clathratus, 239; cremor, 239; cristatus, 108; curtisii, 262, 263; decolorans, 239; dryinus, 237; elachista, 232; fatiscens, 238, 241; flavo-virens, 108, 109; floridanus, 244; favescens, 242; favillaceus, 243; hispidulus, 119; holoxanthus, 237; incrustans, 232; internus, 234; lactifluus, 315; limitatus, 234; Lindbladii, 244; lucidus, 262, 263, 317; megaloporo, 242; minimus, 232; Mylittae, 108, 110; omoemus, 237; ovinus, 110; pargamenus, 218, 229; Polyporus, 94; pubertatis, 153; pulchellus, 236; rivulosus, 240; Rhododendri, 242; Salviae, 233; Sapurema 108, 109; Sassafras, 235; schweinitzii, 262; subacidus, 241; subgiganteus, 315; tenellus, 241; tenuis, 234, 235; tricholoma, 224; tsugae, 262, 263, 264, 266; tuberaster, 108, 109; vaporarius, 233, 238; vesiculosus, 241; vulgaris, 240; vulgaris calceus, 233; xantholoma, 234
Polystictus, 243; cinnabarinus, 64; hirsutus, 63, 243; maximus, 63; occidentalis, 63; Persoonii, 58; sanguineus, 63, 64; velutinus, 243; versicolor, 317
Populus, 50; trichocarpa, 121
Poria, 275; Alabamae, 235; anaectopora, 240; barbaeformis, 241; Beaumontii, 236, 237; calcea, 233; candidissima, 233; Caryae, 236; Cincinnati, 235; clathrata, 239; cremor, 239; decolorans, 239; dryina, 237, 240; **elachista,** 232; fatiscens, 238; favescens, 242, 243; favillacea, 243; fusco-marginata, 238; holoxantha, 237, 238; **humilis,** 232; hyperborea, 243; hypolateritia, 219; incrassata, 46; incrustans, 232; indurata, 242; interna, 234; limitata, 234, 235; Lindbladii, 244; medullapanis, 236; obducens, 242; omoema, 236, 237; pulchella, 236; Rhododendri, 242; Richeriae, 238; rivulosa, 240; Salviae, 233; Sassafras, 235; subacida, 94; subsulphurea, 242; tenella, 241; tenuis, 234; tomentocincta, 237, 238; vesiculosa, 241, 242; vulgaris, 242; xantholoma, 234
Poria, Some described species of, 231
Porodaedalea Pini, 278
Porto Rican fungi, New or noteworthy, 4
Potentilla dichroa, 204; glomerata, 204
Prosopis juliflora, 120
Protomyces Inonyei, 85
Prunulus cyaneobasis, 315; galericulatus, 49; purus, 157; viscidipes, 49
Prunus avium, 124
Pseudocymopterus anisatus, 209
Pseudopeziza Medicaginis, 275; Trifolii, 275
Pseudotsuga, 267
Psilocybe polycephala, 42
Psoralea, 209
Puccinia, 48, 97, 130, 132, 133, 134, 158, 206, 210, 284; **abrepta,** 135, 140, 324; Actinellae, 209; Agropyri, 130, 131, 132, 133, 204; agropyrina, 206; alternans, 203, 204; angustata, 130, 133; anomala, 212; antioquiensis, 135, 139, 140; arabicola, 179; atro-fusca, 206; balsamorrhizae, 204; canaliculata, 134, 135, 136, 138, 141, 142; cellulosa, 136; Chrysanthemi, 212; cinerea, 204; Collinsiae, 212; comandrae, 205; conclusa, 147; consimilis, 213; cynomarathri, 205; Cyperi, 134, 135, 138, 140, 141, 142, 146; **Cyperi-tagetiformis,** 135, 138; Douglasii, 177, 178, 205; Eleocharidis, 134, 136, 143, 144, 146; Ellisiana, 132; Ellisii, 205; fragilis, 173, 176; Gentianae, 213; Giliae, 173, 174, 178, 179; giliicola, 174, 175, 176; globosipes, 209; glumarum, 213; graminis, 48, 94, 160, 230, 286; graminis tritici, 228; graminis tritici compacti, 228; Harknessii, 205; hieraciata, 214; Hordei, 212; Impatientis, 131, 133; Jonesii, 205; **liberta,** 136, 142, 143, 147, 324; luxuriosa, 207, 214; Menthae, 130; mertensiae, 205; monardellae, 205; monoica, 203; montanensis, 206; nigrovelata, 136; oenotherae, 214; Osmorrhizae, 206; patagonica, 172, 173, 175, 176; patruelis, 214; perplexans, 130; Phragmitis, 130, 133;

pimpinellae, 206; plumbaria, 169, 170, 171, 172, 173, 174, 176, 177, 180; plumbaria phlogina, 171, 176; pseudocymopteri, 209; Purpusii, 173, 174, 175, 176; Richardsonii, 177, 178; Romagnoliana, 146; rubigo-vera, 213; subcoronata, 147; subitens, 206, 207, 210, 214, 323; substerilis, 207; Swertiae, 214; tomipara, 132; tumidipes, 209; variolans, 209; Wilcoxiana, 170, 176; Wyethiae, 208
Puccinella airoides, 204
Pucciniastrum myrtilli, 207; pustulatum, 208
Pucciniosira, 97
Pycnoporus sanguineus, 224
Pyrenomycetes, Rostronitschkia, a new genus of, 163
Pyrenophora, 97, 125, 126, 128
Pyropolyporus Abramsianus, 157; Everhartii, 120, 124; igniarius, 121; inflexibilis, 224; Robiniae, 122

Quercus, 118; agrifolia, 12; alba, 121; coccinea, 118; glandulifera, 82; marilandica, 120; palustris, 120, 124; rubra, 118, 124; velutina, 119

Ramularia, 6, 160, 161; cyclaminicola, 90; **Mimosae,** 6, 9
Ramoievicia, 4
Ranunculus acris, 130; Macounii, 129, 133; sceleratus, 130
Ravelelia, 97
Resupinatus subbarbatulus, 222
Rhabdospora, 97
Rhizoctonia, 229; Solani, 83
Rhizophidium codicola, 230
Rhizopogon, 16; diplophloeus, 50
Rhizopus nigricans, 156
Rhododendron maximum, 243
Ribes, 156, 161; aureum, 208, 210; inerme, 211; longiflorum, 210; ordoratum, 210
Richeria grandis, 239
Rigidoporus surinamensis, 224
Rivularia, 159
Robinia pseudocacia, 122
Rostkovites granulatus, 157
Rostronitschkia, 165, 167; **nervincola,** 166, 167
Rostronitschkia, a new genus of Pyrenomycetes, 163
Rostrupia, 132
Rubus Sieboldii, 152
Rumex, 130, 133 mexicanus, 131; occidentalis, 130, 131
Russula, 14, 220, 292; emetica, 278; foetens, 278; virescens, 278
Rusts in 1918, Cultures of heteroecious, 129
Rusts, Notes on some polemoniaceous, 168
Rusts of Utah. III, Smuts and, 202
Rusts on Cyperus and Eleocharis, North American, 134

Salix alba, 291
Salvia, 233
Sarcobatus vermiculatus, 214
Sarcosoma, 295; globosum, 294, 295; globosum platydiscus, 294; platydiscus, 294
Saussurea affinis, 85
Schizophyllus alneus, 224
Schizotrichum, 4
Schoenocrambe linifolia, 203
Scirpus atrovirens, 130, 133
Sclerotinia, 325
Sclerotium, 275; bataticola, 157; Rolfsii, 44
Secotium, 14, 15; tenuipes, 14
Septobasidium, 86; cirratum, 222
Septoria, 5, 227; lycopersici, 48
Septoriopsis, 4, 160; Chamaesyceae, 4, 9; Piperis, 5, 9
Shear, C. L., and Stevens, Neill E., The mycological work of Moses Ashley Curtis 181
Shepherdia canadensis, 210
Sisyrinchium grandiflorum, 215
Sitanion hystrix, 202
Skierka, 97
Smut on Iresine, A, 87
Smuts and rusts of Utah. III, 202
Some Colorado fungi, 245
Some described species of Poria, 231
Some diseases of trees in greater New York, 111
Sonchus oleraceus, 84, 85
Sophia, 203; leptostylis, 203
Species of Ophiodothella on Ficus, An undescribed, 55
Species of Phyllosticta, Index to American, 66
Species of Poria, Some described, 231
Sphaerella tyrolensis, 8
Sphaeria canaliculata, 136
Sphaeronema fimbriatum, 156
Sphaeroptheca fuliginea, 83
Sphaerostigma Utahense, 214
Spicaria aleyrodis, 98

Spinacia oleracea, 83
Spongipellis galactinus, 310
Spongiporus leucospongia, 157
Sporadic appearance of non-edible mushrooms in cultivated mushroom beds, Further notes on the, 51
Sporobolus airoides, 214
Sporotrichum, 43
Stagonospora, 97
Stemphylium Codii, 230
Stephanoma, 9, 160; Melioliae, 9
Stephanomeria, 205
Stereum candidum, 222; complicatum, 94; frustulosum, 58; lobatum, 94
Stevens, F. L., and Dalbey, Nora E., New or noteworthy Porto Rican fungi, 4
Stevens, Neil E., C. L. Shear and, The mycological work of Moses Ashley Curtis, 181
Stigmatea, 326
Stipa, 202
Strobilomyces porphyrius, 92; strobilaceus, 321
Stropharia epimyces, 43, 220, 286; floccosa, 222
Swertia Fritellaria, 214
Symploca, 159
Syntherisma pruriens, 323

Tanaka, Tyôzaburô, New Japanese fungi, Notes and translations —VI, 80; VII, 148
Taraxacum platycarpum, 84, 85
Tetradymia canescens, 209; comosa, 209
Thalictrum, 131, 132, 204; dasycarpum, 131, 133
Thea sinensis, 153
Thecaphora deformans, 202
Thelephora, 13; sebacea, 232
Thielavia, 311
Thielaviopsis paradoxa, 44
Tilia americana, 115
Timber decay of hemlock, An undescribed, 262
Tolyposporium, 88; **iresine,** 87, 88
Torrubiella lecanii, 98
Trametes atypus, 58; aurora, 58; lignea, 224; paleacea, 58; Peckii, 317; Pini, 59; robiniophila, 278; submurina, 222
Translations —, New Japanese fungi, Notes and, VI, 80; VII, 148
Trees in greater New York, Some diseases of, 111
Tremella mycetophila, 41
Tremellodon gelatinosum, 316
Trichoderma Koningi, 157
Tricholoma, 11; nudum, 280; premagna, 246; Russula, 291; vulgare, 131
Trichostroma, 326
Tsuga, 267; canadensis, 264, 268
Tubaria furfuracea, 326
Tuber, 19; candidum, 18, 19
Tuckahoe, The Canadian, 104
Tyromyces balsameus, 315; chioneus, 94; lacteus, 316; palustris, 222; Spraguei, 103, 278, 325

Undescribed species of Ophiodothella on Ficus, An, 55
Undescribed timber decay of hemlock, An, 262
Uncinula curvispora 80; geniculata carpinicola, 80; necator, 81, 82; necator Actinidiae, 81; septata curvispora, 80
United States of extralimital wood-destroying fungi, Concerning the introduction into the, 58
Uredinales, 203
Uredo, 158, 284; Commandrae, 208; Cyperi-tagetiformis, 138; eleocharidicola, 147; Eriocomae, 207; **incomposita,** 136, 143, 324; philippinensis, 147; ustulata, 136
Uromyces, 48, 97, 130, 134, 203; acuminatus, 178; Alopecuri, 129, 130, 133; Astragali, 207; Eleocharidis, 134, 136, 143, 146; Eriogoni, 207; fuscatus, 214; intricatus, 207; Junci, 207, 208; Junci-effusi, 207, 208; occidentalis, 203; probus, 215; proeminens, 207; psoraleae, 209; punctatus, 207; sophorae, 215; Zygadeni, 208
Uropyxis, 97
Ustilaginales, 202
Ustilago bromivora, 202; hypodytes, 202; Lorentziana, 202; macrospora, 202; striaeformis, 203
Utah. III, Smuts and rusts of, 202

Vaccinium, 207; globulare, 207
Vaginata, 278; farinosa, 278; parcivolvata, 278; plumbea, 278, 279
Valsa Mali, 149, 150
Venenarius, 279; cothurnatus, 278; Frostianus, 278; glabriceps, 40; phalloides, 278; rubens, 278; solitarius, 278, 317
Vitis, 241
Volutellopsis, 4

Wabadou, Pineapple fungus or enfant de pin or, 267
Wageria, 7, 160; **portoricensis,** 7, 9
Weir, James R., Concerning the introduction into the United States of extralimital wood-destroying fungi, 58
West, Erdman, An undescribed timber decay of hemlock, 262
Wood-destroying fungi, Concerning the introduction into the United States of extralimital, 58
Wyethia arizonica, 208

Xanthium, 136
Xanthoporia, 231
Xenococcus, 159
Xylaria, 229, 313

Zygadenus falcatus, 208; paniculatus, 208